


CASTANB



SPRINKLER IRRIGATION SYSTEMS

MEDIUM- SMALL
SIZE 

B/2 ADJUSTABLE METALIC SPRINKLER



Kod/Code: B2AM374126

Avarage flow rate

Shooting range

Ölçü/Size (mm)

Working pres.range

Packing Qty /
Nozzles diameter

Angle range

5-15 m³

15-25 m

37*41*26

2-5 bar

10 / 6-8-10-12

30 ° 360°

B/2 NON ADJUSTABLE METALIC SPRINKLER



Kod/Code: B2AM374126

Avarage flow rate

Shooting range

Ölçü/Size (mm)

Working pres.range

Packing Qty /
Nozzles diameter

Angle range

5-15 m³

15-25 m

37*41*26

2-5 bar

10 / 6-8-10-12

360°

ATILGAN ADJUSTABLE METALIC SPRINKLER



Kod/Code: AAM374126

Avarage flow rate

Shooting range

Ölçü/Size (mm)

Working pres.range

Packing Qty /
Nozzles diameter

Angle range

5-15 m³

15-30 m

37*41*26

2-5 bar

10 / 6-8-10-12

30 ° 360°

ATMACA



Kod/Code: A424823

Avarage flow rate

Shooting range

Ölçü/Size (mm)

Working pres.range

Packing Qty /
Nozzles diameter

Angle range

8,18-18,76 m³/h

17-30 m

42*48*23

2-4 bar

10 / 10-12-14-16

30 ° 360°

1453 ADJUSTABLE PLASTIC SPRINKLER



Kod/Code: 1453AP37416

Average flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
5-25 m³	20-29 m	37*41*26	2-5 bar	10 / 10-12-14-16	30 ° 360°

ATILGAN JUNIOR ADJUSTABLE PLASTIC SPRINKLER



Kod/Code: AJAP374126

Average flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
5-10 m³	13-25 m	37*41*26	2-5 bar	10 / 4-6-8-10	30 ° 360°

SPRINKLER / SMALL SIZE

A/2 METALIC SPRINKLER



Kod/Code: A2M374126

Average flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
1,75-2,5 m³	10-18 m	37*41*26	1,5-3 bar	50 / 4,5-4,8-5-5,5	360°

A/1 PLASTIC MALE



Kod/Code: A1PM374126

Average flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
1,75-2,5 m³	10-18 m	37*41*26	1,5-3 bar	50 / 4,5-4,8-5-5,5	360°

A/1 PLASTIC FEMALE



Kod/Code: A1PF374126

Average flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
1,75-2,5 m³	10-18 m	37*41*26	1,5-3 bar	50 / 4,5-4,8-5-5,5	360°

A/4 PLASTIC



Kod/Code: A4P504136

Average flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
1,75-3 m³	10-15 m	50*41*36	2-3 bar	100 / 4,5x3,5	360°

1071 ADJUSTABLE PLASTIC



Kod/Code: 1071AP374126

Average flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
1,6 m³	10-15 m	37*41*26	2-3 bar	50 / 5,0	30 ° 360°

TS 80B2 ADJUSTABLE PLASTIC



Kod/Code: TS80B2AP563852

Average flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
0.52-0.75 m³/h	9-11 m	56*38*52	2-3 bar	200 / 3,00	30 ° 360°



Kod/Code: AIPF374126

Avarage flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
0,56-1,38 m³/h	9-11 m	37*41*26	2-5 bar	"200 / 3 x 1.8 mm 4 x 1.8 mm"	360°

METALIC ADJUSTABLE GARDEN



Kod/Code: MAG464312

Avarage flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
0,63-0,85 m³/h	9,5-12 m	46*43*12	1,5-3 bar	32 / 4.00 mm	30 ° 360°

POP-UP SPRAY SPRINKLER



Kod/Code: POPUS304050

Avarage flow rate	Shooting range	Ölçü/Size (mm)	Working pres.range	Packing Qty / Nozzles diameter	Angle range
0,15-0,84 m³/h	3-6 m	30*40*50	1-3 bar	250 / 12-15-17	0 ° 360°

CASTANB

www.castanb.com.tr

(+90 232) 999 91 85

   +90 531 851 30 11

 export.eu@castanb.com.tr
info@castanb.com.tr

Center office

Mansurođlu Mah. 288/4 Sok No:9/1
Kat 3. No 43 BAYRAKLI - IZMIR / TURKIYE